

[Web](#) [Images](#) [Videos](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more ▾](#)
[Web History](#) | [Search settings](#) | [Sign in](#)



[Advanced Search](#)
[Web](#) [Show options...](#)
Results 1 - 30 of about 13,100 for **primitive**

The Microsoft **Intermediate Language** (MSIL) or CIL and C++ native ...  
**Size** (Bits). TypeCode. C++ Equivalent Types. Boolean ... std::wstring<>. **Primitive** .NET  
 value types and their equivalent C++ types ...

[www.visualcplusplusdotnet.com/visualcplusplusdotnet2a.html](http://www.visualcplusplusdotnet.com/visualcplusplusdotnet2a.html) - [Cached](#)

WIL: A Compiler **Intermediate Language** with Explicit Support for ...  
 Arrays support creation, element extraction and update, as well as **size** .... For example a  
 high-level language can introduce **primitive** object types that ...

[people.ischool.berkeley.edu/~parikh/projects/WIL/](http://people.ischool.berkeley.edu/~parikh/projects/WIL/) - [Cached](#) - [Similar](#)

**.NET: Type Fundamentals**

I'll start off by introducing **primitive** types and then quickly move on to ... And, of course, the  
**intermediate language** (IL) that is generated when using .... The amount of memory  
 allocated is the **size** required by the value type plus ...

[msdn.microsoft.com/en-us/magazine/cc301569.aspx](http://msdn.microsoft.com/en-us/magazine/cc301569.aspx) - [Cached](#) - [Similar](#)

Program Representation **Size** in an **Intermediate Language** with ...

by A Dimock - [Cited by 5](#) - [Related articles](#)

Program Representation **Size** in an **Intermediate Language** ..... calculus [WDMTOX] with  
**primitive** datatypes, references, arrays, and excepti- ...

[www.springerlink.com/index/k1cw2ek8axc9bd57.pdf](http://www.springerlink.com/index/k1cw2ek8axc9bd57.pdf)

**Software portability via an intermediate language**

by W Waite - [Cited by 2](#) - [Related articles](#)

**primitive** operands available in that language; a further encoding is ..... **size**. In this case,  
 even though the displacement is available at com- ...

[www.springerlink.com/index/f001216632711816.pdf](http://www.springerlink.com/index/f001216632711816.pdf)

[Show more results from www.springerlink.com](#)

[PPT] Introduction to FOAM (the **intermediate language** for Aldor)

File Format: Microsoft Powerpoint - [View as HTML](#)

**Primitive** Types. Boolean: Bool; Numeric. Floating Point: SFlo, DFlo ... [Prog <n: Int> <m:  
 Int> <t: Type> <f: Int> <b: Int> <**size**: Int> <time: Int> <par: ...

[www.orcca.on.ca/~ldragan/aldor/fp/foam\\_pres.ppt](http://www.orcca.on.ca/~ldragan/aldor/fp/foam_pres.ppt)

[PDF] An Overview of the PL.8 Compiler Abstract Introduction The ...

File Format: PDF/Adobe Acrobat - [Quick View](#)

by M Auslander - 1982 - [Cited by 124](#) - [Related articles](#)

low level **intermediate language**. Global optimization and register allocation are then used  
 to improve code ... required caused the compiler to grow until its **size**, ... processed as a  
 linear string of such **primitive** operations. ...

[lvm.cs.uiuc.edu/~vadve/CS526/public.../pl8.auslander.cc82.pdf](http://lvm.cs.uiuc.edu/~vadve/CS526/public.../pl8.auslander.cc82.pdf) - [Similar](#)

[PDF] View or Download - VCODE: A Data-Parallel **Intermediate Language**

File Format: PDF/Adobe Acrobat - [Quick View](#)

by GE Brelloch - [Cited by 69](#) - [Related articles](#)

The basic model includes decisions concerning the **primitive** data types, the ... **size**, every  
 parallel variable belongs to a shape, and most of the operations ...

[citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.9.883&rep...](http://citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.9.883&rep...)

[PDF] Java as an **Intermediate Language**

File Format: PDF/Adobe Acrobat - [Quick View](#)

by JC Hardwick - 1996 - [Cited by 40](#) - [Related articles](#)

Problem **size**. JDK. Native. Vinterp. SPARC. Figure 8: Performance of Nesl selection

benchmark using different **intermediate language** imple- ...  
citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.10.6386&rep...

[Show more results from citeseerx.ist.psu.edu](#)

### Verifier to check **intermediate language** - Patent 6560774

by A Gordon - 2003 - [Cited by 10](#) - [Related articles](#)

Verification of **intermediate language** code. ... a semantic check comprises checking native-size **primitive** types of the intermediate code language. ...

[www.freepatentsonline.com/6560774.html](http://www.freepatentsonline.com/6560774.html) - [Cached](#)

### C Sharp (programming language) - Wikipedia, the free encyclopedia

... to compete directly on performance and **size** with C or assembly language. .... For performance reasons, **primitive** types (and value types in general) are ..... Type System · Common **Intermediate Language** · Virtual Execution System ...

[en.wikipedia.org/wiki/C\\_Sharp\\_\(programming\\_language\)](http://en.wikipedia.org/wiki/C_Sharp_(programming_language)) - [Cached](#) - [Similar](#)

### [PDF] Program Representation **Size** in an **Intermediate Language** with ...

File Format: PDF/Adobe Acrobat - [Quick View](#)

Program Representation **Size** in an **Intermediate Language** ..... The set Primop of **primitive** operators includes standard operators ...

[www.cs.bu.edu/techreports/pdf/2001-002-program-representation-size.pdf](http://www.cs.bu.edu/techreports/pdf/2001-002-program-representation-size.pdf)

### C# Language features - Ideas and Coffee at 3:47 AM

Dec 28, 2004 ... You have to know the **size** and type of the array during compile time. ...

The **intermediate language** provides a set of **primitive** data types. ...

[weblogs.asp.net/nilotpal/archive/2004/12/28/334235.aspx](http://weblogs.asp.net/nilotpal/archive/2004/12/28/334235.aspx) - [Cached](#) - [Similar](#)

### jhc

First **Intermediate language** based on Henk, Pure Type Systems and the Lambda cube. ...

It has multiple return values as a **primitive** (unboxed tuples) .... the small binary **size** of produced files I decided to make a push for jhc to become ...

[repetae.net/computer/jhc/jhc.shtml](http://repetae.net/computer/jhc/jhc.shtml) - [Cached](#) - [Similar](#)

### [PS] Program Representation **Size** in an **Intermediate Language** with ...

File Format: Adobe PostScript - [View as HTML](#)

by A Dimock - [Cited by 5](#) - [Related articles](#)

calculus [WDMT0X] with **primitive** datatypes, references, arrays, and excep- ..... Program representation **size** in an **intermediate language** ...

[cs.wellesley.edu/~fturbak/pubs/tic00.ps](http://cs.wellesley.edu/~fturbak/pubs/tic00.ps)

### The **Intermediate Language** :: Chapter 24: The Microsoft .NET ...

NET Architecture from the Delphi Perspective > The **Intermediate Language** .... The CTS fully specifies the **primitive** types and object types known to the CLR. These types are used to define an .... Position, **Size**, Scrolling, and Scaling ...

[etutorials.org/.../The+Intermediate+Language/](http://etutorials.org/.../The+Intermediate+Language/) - [Cached](#)

### A SINGLE INTERMEDIATE LANGUAGE FOR PROGRAMMING ENVIRONMENTS

by MA CAPLINGER - 1985 - [Cited by 8](#) - [Related articles](#)

A SINGLE **INTERMEDIATE LANGUAGE** FOR PROGRAMMING ENVIRONMENTS ... in terms of a composition of **primitive** operators provided by the system and the semantic ...

Files, **Size**, Format, View. 8517183.PDF, 6.034Mb, application/pdf, View/Open ...

[scholarship.rice.edu/handle/1911/15884](http://scholarship.rice.edu/handle/1911/15884) - [Cached](#)

### Objectified **Intermediate Language**: C# - Fast Array Initialization

May 11, 2008 ... If you use a **primitive** type, such as Int32, Int64, Byte, SByte, ... the CLR to manage the data of the struct at that **size**, specifically. ...

[blog.oil.sif.abstraction-project.com/.../c-fast-array-initialization.html](http://blog.oil.sif.abstraction-project.com/.../c-fast-array-initialization.html) - [Cached](#) - [Similar](#)

### A **primitive**-based strategy for producing efficient code for very ...

by WM Ching - 1993 - [Related articles](#)

This strategy depends on the efficient implementation of the **primitive** ... Both C compilers translate C code to a very low level **intermediate language**, ... From the **size** of the back end files it is obvious that the C version is by far ...

[linkinghub.elsevier.com/retrieve/pii/0096055193900383](http://linkinghub.elsevier.com/retrieve/pii/0096055193900383)

[PDF] Compute Abstraction Layer (CAL) Technology Intermediate Language ...

File Format: PDF/Adobe Acrobat

The values of this register are undefined if the **primitive** rendered is not a ..... Declare the space or **size** of LDS memory (in dwords) to be used in a ...

developer.amd.com/.../Intermediate\_Language\_Specification--Stream\_Processor.pdf -

Similar

InformIT: .NET Reference Guide > More on Computing Structure Sizes

Jan 9, 2009 ... Recently, though, I stumbled upon the **intermediate language** (IL) SizeOf instruction: Pushes the **size**, in bytes, of a supplied value type ...

www.informit.com > ... > .NET and Windows Programming - [Cached](#)

[PDF] Realistic Compilation by Program Transformation

File Format: PDF/Adobe Acrobat - Quick View

by R Kelsey - Cited by 88 - Related articles

ing the source program into the **intermediate language**, and then performing source-to-source transformations .... formations work to reduce the **size** of the code, ils each ....

specified by the **primitive** operations, in that every prim- ...

www.cs.purdue.edu/homes/suresh/502.../kelsey-compilation.pdf - [Similar](#)

[PDF] Case Study: JVM Virtual Machines Virtual Machine, Intermediate ...

File Format: PDF/Adobe Acrobat - Quick View

Virtual Machine, **Intermediate Language**. • Pascal P-Code (1975). – stack-based

processor .... all types are **primitives** or references to immutable objects ...

www.cs.inf.ethz.ch/ssw/slides/SSW04\_9\_JVM\_6x.pdf - [Similar](#)

Transforming the .NET Intermediate Language Using Path Logic ...

by S Drape - 2002 - Cited by 23 - Related articles

The definition of propagate is in terms of the new **primitive** all: propagate(N, X, V ) :- ....

and B2 to have the same **size** (possibly differing by one ele- ...

portal.acm.org/ft\_gateway.cfm?id=571171&type=pdf

Verifying intermediate language code - US 6851108

A verification module evaluates **intermediate language** code to verify that the ... A method of deferring selection of a **size** of a data type in **intermediate** .... **primitive** data type of each argument, and the native calling convention ...

www.patents.com/verifying-intermediate-language-code-6851108.html - [Cached](#)

Delphi Basics for .Net : Delphi and .Net

... create applications - they are combined into **Intermediate Language** (IL) code, ... Integer in Delphi was a **primitive**, but is now treated as a structure. ... Net since they are variable in **size**. The Delphi String **primitive** data type ...

www.delphibasics.co.uk/NetArticle.asp?Name=NETForDelphi - [Cached](#) - [Similar](#)

Commentary/Compiler/CmmType – GHC

This contributes significantly to the large binary **size** for GHC-compiled code. .... Both Cmm Operators and **Primitive** Operations are handled in Haskell as Inline ... following the paper: A Single **Intermediate Language** That Supports ...

hackage.haskell.org/trac/ghc/wiki/Commentary/.../CmmType - [Cached](#) - [Similar](#)

An Intermediate Language for System Engineering

by B Purves

should increase the overall **size** of the market. We might expect more specialized tools which operate ... high proportion of the **primitive** system engineering ...

doi.ieeecomputersociety.org/10.1109/ECBS.1997.581846

FFIGEN User's Manual

The attributes on **primitive** types are const or volatile; the attributes static and ... The <value> field in the array is its **size**. If the **size** is not known, it is 0. .... How well can the **intermediate language** support other front-ends? ...

www.ccs.neu.edu/home/lth/ffigen/userman.html - [Cached](#)

David A. Wheeler's 6502 Language Implementation Approaches

For self-hosting, a small **size** has value (so that there's room for other stuff!). .... to shield

the user from the **primitive** structure of the 6502 and its shortcomings. .... Its **intermediate language** "EM" is a stack-based language; ...  
[www.dwheeler.com/6502/](http://www.dwheeler.com/6502/) - [Cached](#) - [Similar](#)

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

---

[Search within results](#) - [Language Tools](#) - [Search Help](#) - [Dissatisfied? Help us improve](#) - [Try Go](#)

---

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Go](#)